

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ABC 750 HIGH TEMPERATURE SILICONE SEALANT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier : ABC Kimya Sanayi ve Dış Ticaret Anonim Şirketi
Ortakoy Mah. İtler Bulvarı No: 16
Selimpasa
34582 Silivri - İstanbul
Turkey
Telephone : +90 212 422 1356/57
Telefax : -
Emergency telephone number : +90 212 422 1356/57
E-mail address of person responsible for the SDS : karadayi.murat@abcsealants.com
yildiz.sevcan@abcsealants.com

1.4 Emergency telephone number

Ulusal Zehir Merkezi (UZEM): 114
International Emergency Number: +49 180 2273-112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification T.R. SEA No 28848

Not a hazardous substance or mixture.

2.2 Label elements

Labelling T.R. SEA No 28848

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No.	T.R. SEA No 28848	Concentration (% w/w)
octamethylcyclotetrasiloxane	556-67-2 209-136-7	Flam. Liq.3; H226 Repr.2; H361f Aquatic Chronic4; H413	>= 0,25 - < 1

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Remove contact lenses.
Keep eye wide open while rinsing.
- If swallowed : Do not induce vomiting without medical advice.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : See Section 11 for more detailed information on health effects and symptoms.
- Risks : No known significant effects or hazards.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
No special handling advice required.
Follow standard hygiene measures when handling chemical products

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

Hygiene measures : When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.

Butyl rubber/nitrile rubber gloves (0,4 mm)
Recommended: Butyl rubber/nitrile rubber gloves.

Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.

Respiratory protection : No special measures required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : red

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

Odour	: characteristic
Odour Threshold	: No data available
Flash point	: > 100 °C
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Lower explosion limit (Vol-%)	: No data available
Upper explosion limit (Vol-%)	: No data available
Flammability	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
pH	: Not applicable
Melting point/range / Freezing point	: No data available
Boiling point/boiling range	: No data available
Vapour pressure	: 0,001 hPa
Density	: ca.1,02 g/cm ³ at 20 °C
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Relative vapour density	: No data available
Evaporation rate	: No data available

9.2 Other information

No data available

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

octamethylcyclotetrasiloxane:

Acute inhalation toxicity : LC50 (Rat): 36 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Components:

octamethylcyclotetrasiloxane:

Assessment : PBT substance.
: vPvB substance.

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized wherever possible.
Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

KKDIK (30105 (Bis)) - Restrictions on the manufacture, placing on the market and use of certain dangerous : Not applicable

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

substances, mixtures and articles (Annex 17)
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : octamethylcyclotetrasiloxane
REACH - List of substances subject to authorisation (Annex XIV) : Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
Regulation on Persistent Organic Pollutants (Number 30595) : Not applicable
REACH Information: All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV)
Volatile organic compounds (VOC) content: < 0,01 %
no VOC duties

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: < 0,01 %

Other regulations:

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".
Regulation on Classification, Labelling and Packaging of Substances and Mixtures. Dated 11 December 2013, Numbered 28848 (Bis) Ministry of Environment and Forestry.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H226 : Flammable liquid and vapour.
H361f : Suspected of damaging fertility.
H413 : May cause long lasting harmful effects to aquatic life.

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS".



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

Full text of other abbreviations

Aquatic Chronic	: Long-term (chronic) aquatic hazard
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
IATA	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

SDS Author

Sika Yapı Kimyasalları A.Ş.

Atılım Yetişkin
yetiskin.atilim@tr.sika.com
Telephone +90 216 581 06 00
Certification number: KDU01.13.03
Certification date: 22.02.2020

Sika Yapı Kimyasalları A.Ş.

İlknur Sakarya
sakarya.ilknur@tr.sika.com
Telephone +90 216 581 06 00
Certification number: KDU01.13.04
Certification date: 22.02.2020

ABC Kimya Sanayi

Sevcan Yıldız

SAFETY DATA SHEET

According to 23 June 2017, No:30105, "BY-LAW ON REGISTRATION, EVALUATION, AUTHORIZATION AND RESTRICTION OF CHEMICALS ”.



ABC 750 HIGH TEMPERATURE SILICONE SEALANT

Revision Date 06.05.2020

Version 1.0

Print Date 06.05.2020

yildiz.sevcan@abcsealants.com
Telephone +90 212 422 1356/57
Certification number; gbf09.D01.106
certification date ; 04.05.2018

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

TR / EN